



Approval body for construction products and types of construction

Bautechnisches Prüfamt

An institution established by the Federal and Laender Governments



European Technical Assessment

ETA-10/0259 of 10 January 2023

English translation prepared by DIBt - Original version in German language

General Part

Technical Assessment Body issuing the European Technical Assessment:

Trade name of the construction product

Product family to which the construction product belongs

Manufacturer

Manufacturing plant

This European Technical Assessment contains

This European Technical Assessment is issued in accordance with Regulation (EU) No 305/2011, on the basis of

This version replaces

Deutsches Institut für Bautechnik

SIKLA Wedge Anchor AN BZ plus and AN BZ-IG

Mechanical fastener for use in concrete

Sikla Holding GmbH Ägydiplatz 3 A-4600 THALHEIM BEI WELS ÖSTERREICH

Sikla Herstellwerk 1

36 pages including 3 annexes which form an integral part of this assessment

EAD 330232-01-0601, Edition 05/2021

ETA-10/0259 issued on 9 June 2017



European Technical Assessment ETA-10/0259

Page 2 of 36 | 10 January 2023

English translation prepared by DIBt

The European Technical Assessment is issued by the Technical Assessment Body in its official language. Translations of this European Technical Assessment in other languages shall fully correspond to the original issued document and shall be identified as such.

Communication of this European Technical Assessment, including transmission by electronic means, shall be in full. However, partial reproduction may only be made with the written consent of the issuing Technical Assessment Body. Any partial reproduction shall be identified as such.

This European Technical Assessment may be withdrawn by the issuing Technical Assessment Body, in particular pursuant to information by the Commission in accordance with Article 25(3) of Regulation (EU) No 305/2011.

Z1929.23 8.06.01-257/22



European Technical Assessment ETA-10/0259

English translation prepared by DIBt

Page 3 of 36 | 10 January 2023

Specific Part

1 Technical description of the product

The SIKLA Wedge Anchor AN BZ and AN BZ-IG is a fastener made of zinc plated steel, stainless steel or high corrosion resistant steel which is placed into a drilled hole and anchored by torque-controlled expansion. The following fastener types are covered:

- Anchor type AN BZ with external thread, washer and hexagon nut, sizes M8 to M27,
- Anchor type AN BZ-IG S with internal thread, hexagon head nut and washer S-IG, sizes M6 to M12.
- Anchor type AN BZ-IG SK with internal thread, countersunk head screw and countersunk washer SK-IG, sizes M6 to M12,
- Anchor type AN BZ-IG B with internal thread, hexagon nut and washer MU-IG, sizes M6 to M12.

The product description is given in Annex A.

2 Specification of the intended use in accordance with the applicable European Assessment Document

The performances given in Section 3 are only valid if the fastener is used in compliance with the specifications and conditions given in Annex B.

The verifications and assessment methods on which this European Technical Assessment is based lead to the assumption of a working life of the fastener of at least 50 years. The indications given on the working life cannot be interpreted as a guarantee given by the producer, but are to be regarded only as a means for choosing the right products in relation to the expected economically reasonable working life of the works.

3 Performance of the product and references to the methods used for its assessment

3.1 Mechanical resistance and stability (BWR 1)

Essential characteristic	Performance			
Characteristic resistance to tension load (static and quasi-static loading)	AN BZ see Annex B4, B5, C1 to C4 AN BZ-IG see Annex B8, C11 and C12			
Characteristic resistance to shear load (static and quasi-static loading)	AN BZ see Annex C5 AN BZ-IG see Annex C13			
Displacements (static and quasi-static loading)	AN BZ see Annex C9 and C10 AN BZ-IG see Annex C15			
Characteristic resistance and displacements for seismic performance categories C1 and C2	AN BZ see Annex C6, C9 and C10 AN BZ-IG No performance assessed			

Z1929.23 8.06.01-257/22



European Technical Assessment ETA-10/0259

Page 4 of 36 | 10 January 2023

English translation prepared by DIBt

3.2 Safety in case of fire (BWR 2)

Essential characteristic	Performance
Reaction to fire	Class A1
Resistance to fire	AN BZ see Annex C7 and C8 AN BZ-IG see Annex C14

3.3 Aspects of durability

Essential characteristic	Performance		
Durability	See Annex B1		

4 Assessment and verification of constancy of performance (AVCP) system applied, with reference to its legal base

In accordance with the European Assessment Document EAD 330232-01-0601 the applicable European legal act is: [96/582/EC].

The system to be applied is: 1

5 Technical details necessary for the implementation of the AVCP system, as provided for in the applicable European Assessment Document

Technical details necessary for the implementation of the AVCP system are laid down in the control plan deposited with Deutsches Institut für Bautechnik.

Issued in Berlin on 10 January 2023 by Deutsches Institut für Bautechnik


Dipl.-Ing. Beatrix Wittstock beglaubigt:
Head of Section Baderschneider

Z1929.23 8.06.01-257/22




Fastener version	Fastener version Product description		Performance		
AN BZ plus	Annex A1 - Annex A4	Annex B1 – Annex B7	Annex C1 – Annex C10		
AN BZ-IG	Annex A1 Annex A5 – Annex A7	Annex B1 – Annex B2 Annex B8 – Annex B10	Annex C11 – Annex C15		

SIKLA Wedge anchor AN BZ plus



SIKLA Wedge anchor AN BZ-IG M6 to M12



SIKLA Wedge Anchor AN BZ plus and AN BZ-IG

Product description Fastener types

Annex A1



Intended use Wedge Anchor AN BZ plus $h \ge h_{\text{min},1}$ bzw. $h_{\text{min},2}$ h₁ hef tfix df hef,red tfix h_{1,red} h ≥ h_{min,3}

SIKLA	Wedge	Anchor	ΑN	ΒZ	plus
-------	-------	--------	----	----	------

Product description Installation situation AN BZ plus Annex A2








Table A1: Fastener dimensions AN BZ plus

Fastener size)		M8	M10	M12	M16	M20	M24	M27
Conical bolt		Thread	M8	M10	M12	M16	M20	M24	M27
Conicai boit		\emptyset d _k =	7,9	9,8	12,0	15,7	19,7	24	28
	Steel, zinc plated	L	65 + t _{fix}	80 + t _{fix}	96,5+t _{fix}	118+t _{fix}	137+t _{fix}	161+t _{fix}	178+t _{fix}
Length of	A4, HCR	L	65 + t _{fix}	80 + t _{fix}	96,5+t _{fix}	118+t _{fix}	137+t _{fix}	168+t _{fix}	-
fastener ¹⁾	reduced anchorage depth	L _{hef,red}	54 + t _{fix}	60 + t _{fix}	76,5+t _{fix}	98+t _{fix}	ı	ı	-
Thickness of t	filling washer	t [mm]	5	5	5	5	5	6	6
Hexagon nut		s	13	17	19	24	30	36	41

¹⁾ With additional use of filling washer 3b the usable thickness of fixture is reduced by the thickness of filling washer t [mm]

Dimensions in mm

Table A2: Materials AN BZ plus


		AN BZ plus		AN BZ plus A4	AN BZ plus HCR	
No.	Part	Steel, z	inc plated	Stainless steel	High corrosion resistant steel HCR	
		galvanized ≥ 5µm sherardized ≥ 45µm			(CRC V)	
1	Conical bolt	M8 to M20: Cold formed or machined steel, galvanized, cone plastic coated	M8 to M20: Cold formed or machined steel, sherardized, cone plastic coated	M8 to M20: Stainless steel (e.g. 1.4401, 1.4404, 1.4578, 1.4571) EN 10088:2014, cone plastic coated	M8 to M20: High corrosion resistant steel 1.4529 or 1.4565, EN 10088:2014, cone plastic coated	
	Threaded bolt	M24 and M27:	M24 and M27: steel, sherardized	M24: Stainless steel	M24: High corrosion resistant steel 1.4529 or 1.4565, EN 10088:2014	
	Threaded cone	Steel, galvanized	M24 and M27: Steel, galvanized	(e.g. 1.4401, 1.4404) EN 10088:2014		
2	Expansion sleeve	M8 to M20: Steel (e.g. 1.4301 or 1.4401) EN 10088:2014, M24 and M27: Steel, zinc plated	M8 to M20: Steel (e.g. 1.4301 or 1.4401) EN 10088:2014, M24 and M27: Steel, zinc plated	Stainless steel (e.g. 1.4401, 1.4404, 1.4571) EN 10088:2014	Stainless steel (e.g. 1.4401, 1.4404, 1.4571) EN 10088:2014	
3a	Washer	Steel, zinc plated	Steel, zinc plated	Stainless steel (e.g. 1.4401, 1.4571)	High corrosion resistant steel	
3b	Filling washer			EN 10088:2014	1.4529 or 1.4565, EN 10088:2014	
4	Hexagon nut	Steel, galvanized, coated	Steel, zinc plated	Stainless steel (e.g. 1.4401, 1.4571) EN 10088:2014, coated	High corrosion resistant steel 1.4529 or 1.4565, EN 10088:2014, coated	

SIKLA Wedge Anchor AN BZ plus

Product descriptionDimensions and materials

Annex A4










Table A3: Fastener dimensions AN BZ-IG

No.	Fastener size		M6	M8	M10	M12
	Conical bolt with internal thread	\emptyset d_k	7,9	9,8	11,8	15,7
1	Pre-setting installation	L	50	62	70	86
	Through-setting installation	L	50 + t _{fix}	62 + t _{fix}	70 + t _{fix}	86 + t _{fix}
2	Expansion sleeve			see ta	ble A4	
3	Washer			see ta	ble A4	
	Hexagon head screw wic	Ith across flats	10	13	17	19
4	Pre-setting installation Ls		t _{fix} + (13 to 21)	t _{fix} + (17 to 23)	t _{fix} + (21 to 25)	t _{fix} + (24 to 29)
	Through-setting installation Ls		14 to 20	18 to 22	20 to 22	25 to 28
5	Countersunk Ø countersunk		17,3	21,5	25,9	30,9
	washer	t	3,9	5,0	5,7	6,7
6	Countersunk bit size head screw		Torx T30	Torx T45 (Steel, zinc plated) T40 (Stainless steel A4, HCR)	Hexagon socket 6 mm	Hexagon socket 8 mm
	Pre-setting installation	L_{SK}	t _{fix} + (11 to 19)	t _{fix} + (15 to 21)	t _{fix} + (19 to 23)	t _{fix} + (21 to 27)
	Through-setting installation	L_{SK}	16 to 20	20 to 25	25	30
7	Hexagon nut width ac	ross flats	10	13	17	19
8	Commercial type V	L _B ≥	t _{fix} + 21	t _{fix} + 28	t _{fix} + 34	t _{fix} + 41
L°_	standard rod ¹⁾ type D	L _B ≥	21	28	34	41

¹⁾ acc. to specifications (Table A4)

Dimensions in mm

SIKLA Wedge Anchor AN BZ-IG

Product description

Fastener parts, marking and dimensions AN BZ-IG

Annex A6



Table A4: Materials AN BZ-IG

		AN BZ-IG	AN BZ-IG A4	AN BZ-IG HCR	
No.	Part	Steel, galvanized ≥ 5 µm acc. to EN ISO 4042:1999	Stainless steel A4 (CRC III)	High corrosion resistant steel HCR (CRC V)	
1	Conical bolt BZ-IG with internal thread	Machined steel, Cone plastic coated	Stainless steel (e.g. 1.4401, 1.4404, 1.4571) EN 10088:2014, Cone plastic coated	High corrosion resistant steel, 1.4529, 1.4565, EN 10088:2014, Cone plastic coated	
2	Expansion sleeve BZ-IG	Stainless steel (e.g. 1.4301, 1.4401) EN 10088:2014	Stainless steel (e.g. 1.4401, 1.4571) EN 10088:2014	Stainless steel (e.g. 1.4401, 1.4571) EN 10088:2014	
3	Washer S-IG / MU-IG	Steel, galvanized	Stainless steel (e.g. 1.4401, 1.4571) EN 10088:2014	High corrosion resistant steel, 1.4529, 1.4565, EN 10088:2014	
4	Hexagon head screw S-IG	Steel, galvanized, coated	Stainless steel (e.g. 1.4401, 1.4571) EN 10088:2014, coated	High corrosion resistant steel, 1.4529, 1.4565, EN 10088:2014, coated	
5	Countersunk washer SK-IG	Steel, galvanized	Stainless steel (e.g. 1.4401, 1.4404, 1.4571) EN 10088:2014, zinc plated, coated	High corrosion resistant steel, 1.4529, 1.4565, EN 10088:2014, zinc plated, coated	
6	Countersunk head screw SK-IG	Steel, galvanized coated	Stainless steel (e.g. 1.4401, 1.4571) EN 10088:2014, coated	High corrosion resistant steel, 1.4529, 1.4565, EN 10088:2014, coated	
7	Hexagon nut MU-IG			High corrosion resistant steel, 1.4529, 1.4565, EN 10088:2014, coated	
8	Commercial standard rod	Property class 8.8, EN ISO 898-1:2013 A₅ > 8 % ductile	Stainless steel (e.g. 1.4401, 1.4571) EN 10088:2014, property class 70, EN ISO 3506:2009	High corrosion resistant steel, 1.4529, 1.4565, EN 10088:2014, property class 70, EN ISO 3506:2009	

SIKLA Wedge Anchor AN BZ-IG	
Product description Materials AN BZ-IG	Annex A7



Specifications of intended use

M8	M10	M12	M16	M20	M24	M27
			✓			
✓						
_2)				_2)		
			✓			
	✓					
		✓			_2)	_2)
	M8	M8 M10	M8 M10 M12	✓ ✓ ✓	✓ ✓ ✓	✓ ✓ ✓ ✓

Reduced anchorage depth 1)	M8	M10	M12	M16
Steel, galvanized			✓	
Steel, sherardized			✓	
Stainless steel A4 and high corrosion resistant steel HCR	√			
Static or quasi-static action			✓	
Fire exposure			✓	
Seismic action (C1 and C2)		-	_2)	

¹⁾ Only cold formed anchors acc. to Annex A3

²⁾ No performance assessed

Wedge Anchor AN BZ-IG	M6 M8 M10 M1					
Steel, galvanized	✓					
Stainless steel A4 and high corrosion resistant steel HCR	✓					
Static or quasi-static action	✓					
Fire exposure	✓					
Seismic action (C1 and C2)		-	1)			

¹⁾ No performance assessed

Base materials:

- Compacted, reinforced or unreinforced normal weight concrete (without fibers) according to EN 206:2013+A1:2016
- Strength classes C20/25 to C50/60 according to EN 206:2013+A1:2016
- · Cracked or uncracked concrete

Use conditions (Environmental conditions):

- Structures subject to dry internal conditions: all materials
- For all other conditions: Intended use of materials according to Annex A4, Table A2 or Annex A7, Table A4 corresponding corrosion resistance classes CRC according to EN 1993-1-4:2006+A1:2015

SIKLA Wedge Anchor AN BZ plus and AN BZ-IG	
Intended use Specifications	Annex B1



Specifications of intended use

Design:

- Anchorages are designed under the responsibility of an engineer experienced in anchorages and concrete work
- Verifiable calculation notes and drawings are prepared taking account of the loads to be anchored. The position of the fastener is indicated on the design drawings (e.g. position of the fastener relative to reinforcement or to supports, etc.).
- Dimensioning of fasteners under static or quasi-static action, seismic action or fire exposure according to EN 1992-4:2018 in conjunction with Technical Report TR 055, Edition February 2018

Installation:

- Fastener installation carried out by appropriately qualified personnel and under the supervision of the person responsible for technical matters of the site
- Hole drilling by hammer drill bit or vacuum drill bit
- Use of the fastener only as supplied by the manufacturer without exchanging the components of the fastener
- Optionally, the annular gap between fixture and stud of the BZ plus can be filled to reduce the hole. For this purpose, the filling washer (3b) must be used in addition to the supplied washer (3a). For filling use high-strength mortar with compressive strength ≥ 40 N/mm² (e.g. Sikla Injection System VMZ and VMU plus)
- In case of aborted hole: new drilling at a minimum distance away of twice the depth of the aborted hole or smaller distance if the aborted drill hole is filled with high strength mortar and if under shear or oblique tension load it is not in the direction of load application


SIKLA Wedge Anchor AN BZ plus and AN BZ-IG	
Intended use Specifications	Annex B2



Table B1: Installation parameters, AN BZ plus

Fastener size	e			M8	M10	M12	M16	M20	M24	M27
Nominal drill	hole diameter	d ₀	[mm]	8	10	12	16	20	24	28
Cutting diame	eter of drill bit	$d_{\text{cut}} \leq$	[mm]	8,45	10,45	12,5	16,5	20,55	24,55	28,55
	Steel, galvanized	T _{inst}	[Nm]	20	25	45	90	160	200	300
Installation	Steel, sherardized	T _{inst}	[Nm]	16	22	40	90	160	260	300
torque	Stainless steel A4, HCR	T _{inst}	[Nm]	20	35	50	110	200	290	_1)
Diameter of controls hole in the fix		d _f ≤	[mm]	9	12	14	18	22	26	30
Standard anchorage depth										
Depth of	Steel, zinc plated	$h_1\geq$	[mm]	60	75	90	110	125	145	160
drill hole	Stainless steel A4, HCR	h ₁ ≥	[mm]	60	75	90	110	125	155	-
Effective	Steel, zinc plated	h _{ef}	[mm]	46	60	70	85	100	115	125
anchorage depth	Stainless steel A4, HCR	h _{ef}	[mm]	46	60	70	85	100	125	_1)
Reduced anchorage depth										
Depth of drill	hole	$h_{1,\text{red}} \geq$	[mm]	49	55	70	90			
Reduced effe depth	ctive anchorage	h ef,red	[mm]	35	40	50	65	_1)	_1)	_1)

1) No performance assessed



SIKLA Wedge Anchor AN BZ plus

Intended use Installation parameters **Annex B3**



Table B2: Minimum spacings and edge distances, standard anchorage depth, AN BZ plus	Table B2: Minimum s	pacings and edge	e distances, st	tandard anchorage	depth. AN BZ plus
---	---------------------	------------------	-----------------	-------------------	-------------------

min,1 Smin C \(\geq \) Smin	[mm] [mm] [mm] [mm] [mm] [mm] [mm] [mm]	100 40 70 40 80 80 50 100 40 70 40 80	120 45 70 45 90 45 70 50 100 120 50 75 55 90	140 60 100 60 140 60 120 75 150 140 60 100 60 140	170 60 100 60 180 65 120 80 150 160 60 100 60	95 150 95 200 90 180 130 240 200 95 150 95	230 100 180 100 220 100 180 100 220 250 125 125 125	250 125 300 180 540 125 300 180 540
Smin	[mm] [mm] [mm] [mm] [mm] [mm] [mm] [mm]	40 70 40 80 80 50 100 40 70 40	45 70 45 90 45 70 50 100 120 50 75 55	60 100 60 140 60 120 75 150 140 60 100 60	60 100 60 180 65 120 80 150 160	95 150 95 200 90 180 130 240 200 95 150 95	100 180 100 220 100 180 100 220 250 250 125 125	125 300 180 540 125 300 180 540
Smin	[mm] [mm] [mm] [mm] [mm] [mm] [mm] [mm]	40 70 40 80 80 50 100 40 70 40	45 70 45 90 45 70 50 100 120 50 75 55	60 100 60 140 60 120 75 150 140 60 100 60	60 100 60 180 65 120 80 150 160	95 150 95 200 90 180 130 240 200 95 150 95	100 180 100 220 100 180 100 220 250 250 125 125	125 300 180 540 125 300 180 540
C ≥ 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	[mm] [mm] [mm] [mm] [mm] [mm] [mm] [mm]	70 40 80 80 50 100 100 40 70 40	70 45 90 45 70 50 100 120 50 75 55	100 60 140 60 120 75 150 140 60 100 60	100 60 180 65 120 80 150 160	95 200 90 180 130 240 200 95 150 95	180 100 220 100 180 100 220 250 250 125 125	300 180 540 125 300 180 540
C ≥ 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	[mm] [mm] [mm] [mm] [mm] [mm] [mm] [mm]	70 40 80 80 50 100 100 40 70 40	70 45 90 45 70 50 100 120 50 75 55	100 60 140 60 120 75 150 140 60 100 60	100 60 180 65 120 80 150 160	95 200 90 180 130 240 200 95 150 95	180 100 220 100 180 100 220 250 250 125 125	300 180 540 125 300 180 540
Smin r S ≥ Smin r C ≥ Smin r C ≥ Smin r S ≥	[mm] [mm] [mm] [mm] [mm] [mm] [mm]	40 80 80 50 100 100 40 70 40	45 90 45 70 50 100 120 50 75 55	60 140 60 120 75 150 140 60 100 60	60 180 65 120 80 150 160 60 100 60	95 200 90 180 130 240 200 95 150 95	100 220 100 180 100 220 250 250 125 125	180 540 125 300 180 540
Smin	[mm] [mm] [mm] [mm] [mm] [mm] [mm]	80 40 80 50 100 100 40 70 40	90 45 70 50 100 120 50 75 55	140 60 120 75 150 140 60 100 60	180 65 120 80 150 160 60 100 60	200 90 180 130 240 200 95 150 95	220 100 180 100 220 250 125 125 125	540 125 300 180 540
Smin	[mm] [mm] [mm] [mm] [mm] [mm]	40 80 50 100 100 40 70 40	45 70 50 100 120 50 75 55	60 120 75 150 140 60 100 60	65 120 80 150 160 60 100 60	90 180 130 240 200 95 150 95	100 180 100 220 250 250 125 125 125	125 300 180 540
C ≥	[mm] [mm] [mm] [mm] [mm] [mm]	80 50 100 100 40 70 40	70 50 100 120 50 75 55	120 75 150 140 60 100 60	120 80 150 160 60 100 60	180 130 240 200 95 150 95	180 100 220 250 125 125 125	300 180 540
C ≥	[mm] [mm] [mm] [mm] [mm] [mm]	80 50 100 100 40 70 40	70 50 100 120 50 75 55	120 75 150 140 60 100 60	120 80 150 160 60 100 60	180 130 240 200 95 150 95	180 100 220 250 125 125 125	300 180 540
Cmin rs≥ min,1 Cmin rc≥ Cmin rs≥	[mm] [mm] [mm] [mm] [mm]	50 100 100 40 70 40	50 100 120 50 75 55	75 150 140 60 100 60	80 150 160 60 100 60	130 240 200 95 150 95	100 220 250 125 125 125	180 540
min,1 Smin C C C C C C C C C C	[mm] [mm] [mm] [mm]	100 100 40 70 40	100 120 50 75 55	150 140 60 100 60	150 160 60 100 60	240 200 95 150 95	250 250 125 125 125	_1)
min,1 Smin C ≥ Cmin C S ≥	[mm] [mm] [mm]	100 40 70 40	120 50 75 55	60 100 60	160 60 100 60	200 95 150 95	250 125 125 125	_1)
Smin ↑ C ≥ Smin ↑ S ≥	[mm] [mm]	40 70 40	50 75 55	60 100 60	60 100 60	95 150 95	125 125 125	
Smin ↑ C ≥ Smin ↑ S ≥	[mm] [mm]	40 70 40	50 75 55	60 100 60	60 100 60	95 150 95	125 125 125	
rc≥ Cmin rs≥	[mm]	70 40	75 55	100 60	100 60	150 95	125 125	_1)
rc≥ Cmin rs≥	[mm]	70 40	75 55	100 60	100 60	150 95	125 125	_1)
imin rs≥	[mm]	40	55	60	60	95	125	_1)
r s ≥	• •		1	1				
	[mm]	80	90			1 000	1 405	
. 1				170	180	200	125	
2	[mm]	40	50	60	65	90	125	
Smin rc≥	[mm]	80	75	120	120	180	125	-
		50	60	75	80	130	125	_1)
min	[mm]	100	120	150	150	240	125	-
rs≥	[mm]	100	120	150	150	240	125	
mber								
I, HCF		90	100	120	140	_1)	_1)	_1)
min,2	[mm]	80	100	120	140	'/	'/	'/
·	[mm]	40	45	60	70			
						-		
						_1)	_1)	_1)
-			1			1		
0 _	[]		1 110	1-10	100	l		
S _{min}	[mm1	40	60	60	80			
			-	+		1		
<u> </u>						-1)	_1)	_1)
, T		וור	l dii		l un		1	
	Smin rc≥ Cmin rs≥ Smin rc≥	$\begin{array}{cccc} S_{min} & [mm] \\ r \ c \geq & [mm] \\ C_{min} & [mm] \\ r \ s \geq & [mm] \\ \end{array}$	S_{min} [mm] 40 r c ≥ [mm] 70 C_{min} [mm] 40 r s ≥ [mm] 80 S_{min} [mm] 40 r c ≥ [mm] 80	S_{min} [mm] 40 45 r c ≥ [mm] 70 90 C_{min} [mm] 40 50 r s ≥ [mm] 80 115 S_{min} [mm] 40 60 r c ≥ [mm] 80 140	Smin [mm] 40 45 60 r c ≥ [mm] 70 90 100 Cmin [mm] 40 50 60 r s ≥ [mm] 80 115 140 Smin [mm] 40 60 60 r c ≥ [mm] 80 140 120	Smin [mm] 40 45 60 70 r c ≥ [mm] 70 90 100 160 Cmin [mm] 40 50 60 80 r s ≥ [mm] 80 115 140 180 Smin [mm] 40 60 60 80 r c ≥ [mm] 80 140 120 180	Smin [mm] 40 45 60 70 r c ≥ [mm] 70 90 100 160 cmin [mm] 40 50 60 80 r s ≥ [mm] 80 115 140 180 Smin [mm] 40 60 60 80	$\begin{array}{c ccccccccccccccccccccccccccccccccccc$

Fire exposure from one s	ide						
Minimum spacing	S _{min,fi}	[mm]	See normal ambient temperature				
Minimum edge distance	C _{min,fi}	[mm]	See normal ambient temperature				
Fire exposure from more than one side							
Minimum spacing	S _{min,fi}	[mm]	See normal ambient temperature				
Minimum edge distance	C _{min,fi}	[mm]	≥ 300 mm				

Intermediate values by linear interpolation.

SIKLA Wedge Anchor AN BZ plus

Intended use

Minimum spacings and edge distances for standard anchorage depth

Annex B4

¹⁾ No performance assessed



Table B3: Minimum spacings and edge distances, reduced anchorage depth, AN BZ plus

Fastener size			M8	M10	M12	M16		
Minimum thickness of concrete member	h _{min,3}	[mm]	80	80	100	140		
Cracked concrete								
Minimum spacing	Smin	[mm]	50	50	50	65		
willimum spacing	für c ≥	[mm]	60	100	160	170		
Minimum adaa diatanaa	C _{min}	[mm]	40	65	65	100		
Minimum edge distance	für s ≥	[mm]	185	180	250	250		
Uncracked concrete								
Minimum angaing	S _{min}	[mm]	50	50	65			
Minimum spacing	für c ≥	[mm]	60	100	160	170		
Minimum adaa diatanaa	C _{min}	[mm]	40	65	100	170		
Minimum edge distance	für s ≥	[mm]	185	180	185	65		
Fire exposure from one side								
Minimum spacing	S _{min,fi}	[mm]	See normal ambient temperature					
Minimum edge distance	C _{min,fi}	[mm]	See normal ambient temperature					
Fire exposure from more than one side								
Minimum spacing	S _{min,fi}	[mm]	Se	ee normal amb	ient temperatu	ıre		
Minimum edge distance	C min,fi	[mm]		≥ 300	0 mm			

Intermediate values by linear interpolation.

SIKLA	Wed	ge A	nchor	AN	ΒZ	plus
-------	-----	------	-------	----	----	------

Intended use

Minimum spacings and edge distances for reduced anchorage depth

Annex B5



Installation instructions AN BZ plus 90 Drill hole perpendicular to concrete surface. If using a vacuum drill bit, proceed with step 3. Blow out dust. Alternatively vacuum clean down to the bottom of the hole. Check position of nut. 3 Drive in fastener, such that hef or hef,red depth is met. This compliance is ensured, if the thickness of fixture is not greater than the maximum thickness of fixture marked on the fastener in accordance with Annex A3. $\mathsf{T}_{\mathsf{inst}}$ Installation torque T_{inst} shall be applied by using calibrated torque 5 wrench.

SIKLA Wedge Anchor AN BZ plus	
Intended Use Installation instructions	Annex B6



Installation instructions AN BZ plus with filling of annular gap Drill hole perpendicular to concrete surface. If using a vacuum drill bit, proceed with step 3a. 2 Blow out dust. Alternatively vacuum clean down to the bottom of the hole. Check position of nut. 3a Fit the filling washer to the fastener. 3b The thickness of the filling washer must be taken into account with t_{fix} . Drive in fastener with filling washer, such that hef or hef,red depth is met. This compliance is ensured, if the thickness of fixture is 5mm smaller (or 6mm when ≥ M24) than the maximum thickness of fixture marked on the fastener in accordance with Annex A3. Installation torque T_{inst} shall be applied by using calibrated torque 5 wrench. Fill the annular gap between stud and fixture with high stregth mortar with compressive strength ≥ 40 N/mm² (e.g. Sikla Injection System VMZ or VMU plus). Use enclosed reducing adapter. Observe the processing information of the mortar! The annular gap is completely filled, when excess mortar seeps out.

SIKLA Wedge Anchor AN BZ plus	
Intended Use Installation instructions with filling washer	Annex B7



Table B4: Installation parameters AN BZ-IG

Fastener size				М6	М8	M10	M12
Effective anchorage depth		h _{ef}	[mm]	45	58	65	80
Drill hole diameter		d₀	[mm]	8	10	12	16
Cutting diameter of drill bit		$d_{\text{cut}} \leq$	[mm]	8,45	10,45	12,5	16,5
Depth of drill hole		$h_1 \geq$	[mm]	60	75	90	105
Screwing depth of threaded rod		$L_{\text{sd}}^{2)} \geq$	[mm]	9	12	15	18
Installation towns		S	[Nm]	10	30	30	55
Installation torque, steel zinc plated	T_{inst}	SK	[Nm]	10	25	40	50
steel zille plated		В	[Nm]	8	25	30	45
-4-W-43 4		S	[Nm]	15	40	50	100
Installation torque, stainless steel A4, HCR	T _{inst}	SK	[Nm]	12	25	45	60
stailliess steel A4, ITCIN		В	[Nm]	8	25	40	80
Pre-setting installation							
Diameter of clearance hole in the fixtu	re	$d_f \leq$	[mm]	7	9	12	14
		S	[mm]	1	1	1	1
Minimum thickness of fixture	t _{fix} ≥	SK	[mm]	5	7	8	9
		В	[mm]	1	1	1	1
Through-setting installation							
Diameter of clearance hole in the fixtu	re	$d_{f} \leq$	[mm]	9	12	14	18
		S	[mm	5	7	8	9
Minimum thickness of fixture 1)	$t_{\text{fix}} \geq$	SK	[mm]	9	12	14	16
		В	[mm]	5	7	8	9

¹⁾ The minimum thickness of fixture can be reduced to the value of pre-setting installation, if the shear load at steel failure is designed with lever arm.

Table B5: Minimum spacings and edge distances AN BZ-IG

		M6	M8	M10	M12		
h _{min}	[mm]	100	120	130	160		
Smin	[mm]	50	60	70	80		
für c ≥	[mm]	60	80	100	120		
C _{min}	[mm]	50	60	70	80		
für s ≥	[mm]	75	100	100	120		
Smin	[mm]	50	60	65	80		
für c ≥	[mm]	80	100	120	160		
C _{min}	[mm]	50	60	70	100		
für s ≥	[mm]	115	155	170	210		
S _{min,fi}	[mm]		See normal	temperature			
C _{min,fi}	[mm]		See normal	temperature			
S _{min,fi}	[mm]	nm] See normal temperature					
c _{min,fi} [mm] ≥ 300 mm							
	$\begin{array}{c} \textbf{S}_{min} \\ \hline \textbf{für C} \geq \\ \hline \textbf{C}_{min} \\ \hline \textbf{für S} \geq \\ \hline \\ \textbf{S}_{min} \\ \hline \textbf{für C} \geq \\ \hline \\ \textbf{C}_{min} \\ \hline \textbf{für S} \geq \\ \hline \\ \textbf{S}_{min,fi} \\ \hline \\ \textbf{S}_{min,fi} \\ \hline \\ \textbf{S}_{min,fi} \\ \hline \end{array}$	$\begin{array}{c cccc} s_{\text{min}} & [mm] \\ \hline für c \geq & [mm] \\ \hline c_{\text{min}} & [mm] \\ \hline für s \geq & [mm] \\ \hline \\ s_{\text{min}} & [mm] \\ \hline für c \geq & [mm] \\ \hline c_{\text{min}} & [mm] \\ \hline für s \geq & [mm] \\ \hline \\ s_{\text{min,fi}} & [mm] \\ \hline \\ c_{\text{min,fi}} & [mm] \\ \hline \\ s_{\text{min,fi}} & [mm] \\ \hline \\ \end{array}$	$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	$\begin{array}{c ccccccccccccccccccccccccccccccccccc$		

SIKLA Wedge Anchor AN BZ-IG

Intended use

Installation parameters, minimum spacings and edge distances AN BZ-IG


Annex B8

²⁾ see Annex A5



Installation instructions AN BZ-IG

Pre-setting installation



SIKLA Wedge Anchor AN BZ-IG

Intended Use


Installation instructions for pre-setting installation AN BZ-IG

Annex B9



Installation instructions AN BZ-IG

Through-setting installation



SIKLA Wedge Anchor AN BZ-IG

Intended Use

Installation instructions for through-setting installation AN BZ-IG

Annex B10



Table C1: Characteristic values for **tension loads**, AN BZ plus **zinc plated**, **cracked concrete**, static and quasi-static action

Fastener size			M8	M10	M12	M16	M20	M24	M27
Installation factor	γinst	[-]				1,0			
Steel failure									
Characteristic resistance	N _{Rk,s}	[kN]	16	27	40	60	86	126	196
Partial factor	γMs	[-]	1,	53	1	,5	1,6	1	,5
Pull-out									
Standard anchorage depth									
Characteristic resistance in cracked concrete C20/25	$N_{Rk,p}$	[kN]	5	9	16	25	36	44,4	50,3
Reduced anchorage depth									
Characteristic resistance in cracked concrete C20/25	$N_{Rk,p}$	[kN]	5	7,5	12,7	18,9	_1)	_1)	_1)
Increasing factor for $N_{Rk,p} = \psi_c \cdot N_{Rk,p}$ (C20/25)	ψс	[-]				$\left(\!\frac{f_{ck}}{20}\!\right)^{0,5}$			
Concrete cone failure									
Effective anchorage depth	h _{ef}	[mm]	46	60	70	85	100	115	125
Reduced anchorage depth	h _{ef,red}	[mm]	35 ²⁾	40	50	65	_1)	_1)	_1)
Factor for cracked concrete	$\mathbf{k}_1 = \mathbf{k}_{cr,N}$	[-]				7,7			

¹⁾ No performance assessed

SIKLA Wedge Anchor AN BZ plus

Performance

Characteristic values for **tension loads**, AN BZ plus **zinc plated**, **cracked concrete**, static and quasi-static action

Annex C1

²⁾ Use restricted to anchoring of structural components statically indeterminate



Table C2: Characteristic values for tension loads, AN BZ plus A4 / HCR, cracked concrete, static and quasi-static action

Fastener size			M8	M10	M12	M16	M20	M24
Installation factor	γinst	[-]			1	,0		
Steel failure								
Characteristic resistance	$N_{Rk,s}$	[kN]	16	27	40	64	108	110
Partial factor	γMs	[-]		1,	,5		1,68	1,5
Pull-out								
Standard anchorage depth								
Characteristic resistance in cracked concrete C20/25	$N_{Rk,p}$	[kN]	5	9	16	25	36	40
Reduced anchorage depth								
Characteristic resistance in cracked concrete C20/25	$N_{Rk,p}$	[kN]	5	7,5	12,7	18,9	_1)	_1)
Increasing factor for $N_{Rk,p} = \psi_c \cdot N_{Rk,p}$ (C20/25)	ψс	[-]			$\left(\frac{f_{ck}}{20}\right)$	0,5		
Concrete cone failure								
Effective anchorage depth	h _{ef}	[mm]	46	60	70	85	100	125
Reduced anchorage depth	h _{ef,red}	[mm]	35 ²⁾	40	50	65	_1)	_1)
Factor for cracked concrete	k cr,N	[-]			7	,7		

¹⁾ No performance assessed.

SIKLA Wedge Anchor AN BZ plus

Performance

Characteristic values for **tension loads**, AN BZ plus **A4 / HCR**, **cracked concrete**, static and quasi-static action

Annex C2

²⁾ Use restricted to anchoring of structural components statically indeterminate.



Table C3: Characteristic values for **tension loads**, AN BZ plus **zinc plated**, **uncracked concrete**, static and quasi-static action

Fastener size			M8	M10	M12	M16	M20	M24	M27
Installation factor	γinst	[-]		•	•	1,0			
Steel failure									
Characteristic resistance	$N_{Rk,s}$	[kN]	16	27	40	60	86	126	196
Partial factor	γMs	[-]	1,	53	1	,5	1,6	1	,5
Pull-out	·								
Standard anchorage depth									
Characteristic resistance in	N.I.	ri. Nij	10	10	25	25	E4	60.0	74.0
uncracked concrete C20/25	N _{Rk,p}	[kN]	12	16	25	35	51	62,9	71,3
Reduced anchorage depth									
Characteristic resistance in	$N_{Rk,p}$	[kN]	7,5	9	18	26,7	_1)	_1)	_1)
uncracked concrete C20/25	,p	[]	.,.			,,			
Splitting									
Standard anchorage depth	_								
Splitting for standard thickness o	f concrete	membe	<u>er</u> (The hiថ	gher resista	ince of cas	e 1 and ca	se 2 may b	e applied;	
c _{cr,sp} may be linearly interpolated for the Standard thickness of concrete	h _{min,1} ≥		100	120	140	170	200	230	250
	∏min,1 ≤	[mmj	100	120	140	170	200	230	250
Case 1 Characteristic resistance in				1		1	<u> </u>	I	
uncracked concrete C20/25	N^0 _{Rk,sp}	[kN]	9	12	20	30	40	62,3	50
Edge distance	C _{cr,sp}	[mm]		1,5 h _{ef}					
Case 2									
Characteristic resistance	NIO.	FL-N 13	40	40	0.5	0.5	50.5	00.0	70.0
in uncracked concrete C20/25	N^0 Rk,sp	[kN]	12	16	25	35	50,5	62,3	70,6
Edge distance	C _{cr,sp}	[mm]		21	1 ef		2,2 h _{ef}	1,5 h _{ef}	2,5 h _e
Splitting for minimum thickness of	f concrete	memb	<u>er</u>						
Minimum thickness of concrete	h _{min,2} ≥	[mm]	80	100	120	140			
Characteristic resistance	$N^0_{Rk,sp}$	[kN]	12	16	25	35	_1)	_1)	_1)
in uncracked concrete C20/25							_		
Edge distance	C cr,sp	[mm]		2,5	h _{ef}				
Reduced anchorage depth				1			I	I	
Minimum thickness of concrete	h _{min,3} ≥	[mm]	80	80	100	140			
Characteristic resistance in uncracked concrete C20/25	$N^0_{Rk,sp}$	[kN]	7,5	9	17,9	26,5	_1)	_1)	_1)
Edge distance	C _{cr,sp}	[mm]	100	100	125	150			
Increasing factor						/f.\0,5			
$\begin{split} N_{Rk,p} &= \psi_c \cdot N_{Rk,p} (C20/25) \\ N^0_{Rk,sp} &= \psi_c \cdot N^0_{Rk,sp} (C20/25) \end{split}$	ψс	[-]				$\left(\frac{f_{ck}}{20}\right)^{0.5}$			
Concrete cone failure									
Effective anchorage depth	h _{ef}	[mm]	46	60	70	85	100	115	125
Reduced anchorage depth	h _{ef,red}	[mm]	35 ²⁾	40	50	65	_1)	_1)	_1)
rreduced anonorage deput	1101,100	L		.0	00				

¹⁾ No performance asessed.

Performance

Characteristic values for **tension loads**, AN BZ plus **zinc plated**, **uncracked concrete**, static and quasi-static action

Annex C3

²⁾ Use restricted to anchoring of structural components statically indeterminate.



Table C4: Characteristic values for tension loads, AN BZ plus A4 / HCR, uncracked concrete, static and quasi-static action

Fastener size			M8	M10	M12	M16	M20	M24
Installation factor	γinst	[-]			1	,0		
Steel failure	•							
Characteristic resistance	N _{Rk,s}	[kN]	16	27	40	64	108	110
Partial factor	γMs	[-]		1	,5		1,68	1,5
Pull-out	•						,	
Standard anchorage depth								
Characteristic resistance in uncracked concrete C20/25	$N_{Rk,p}$	[kN]	12	16	25	35	51	71,3
Reduced anchorage depth								
Characteristic resistance in uncracked concrete C20/25	$N_{Rk,p}$	[kN]	7,5	9	18	26,7	_1)	_1)
Splitting								
Standard anchorage depth								
Splitting for standard thickness of c							2 may be a	pplied;
c _{cr,sp} may be linearly interpolated for t				T				0.50
Standard thickness of concrete	h _{min,1} ≥	[mm]	100	120	140	160	200	250
Case 1				1		1	I	1
Characteristic resistance in uncracked concrete C20/25	N^0 Rk,sp	[kN]	9	12	20	30	40	_1)
Edge distance	C cr,sp	[mm]			1,5 h _{ef}			_1)
Case 2								
Characteristic resistance in uncracked concrete C20/25	N^{o} Rk,sp	[kN]	12	16	25	35	50,5	70,6
Edge distance	C _{cr,sp}	[mm]	115	125	140	200	220	250
Splitting for minimum thickness of o	concrete me	<u>mber</u>						
Minimum thickness of concrete	h _{min,2} ≥	[mm]	80	100	120	140		
Characteristic resistance in uncracked concrete C20/25	N^0 _{Rk,sp}	[kN]	12	16	25	35	_1)	_1)
Edge distance	C cr,sp	[mm]		2,5	5h _{ef}			
Reduced anchorage depth								
Minimum thickness of concrete	h _{min,3} ≥	[mm]	80	80	100	140		
Characteristic resistance in uncracked concrete C20/25	N ⁰ _{Rk,sp}	[kN]	7,5	9	17,9	26,5	_1)	_1)
Edge distance	C _{cr,sp}	[mm]	100	100	125	150]	
Increasing factor $N_{Rk,p} = \psi_c \cdot N_{Rk,p} (C20/25)$ $N^0_{Rk,sp} = \psi_c \cdot N^0_{Rk,sp} (C20/25)$	ψс	[-]			$\left(\frac{f_{ck}}{20}\right)$	0,5		
Concrete cone failure								
Effective anchorage depth	h _{ef}	[mm]	46	60	70	85	100	125
								_1)
Reduced anchorage depth	h _{ef,red}	[mm]	35 ²⁾	40	50	65	_1)	I - '/

¹⁾ No performance asessed.

Performance

Characteristic values for **tension loads**, AN BZ plus **A4 / HCR**, **uncracked concrete**, static and quasi-static action

Annex C4

²⁾ Use restricted to anchoring of structural components statically indeterminate.



Table C5: Characteristic values for shear loads, AN BZ plus, cracked and uncracked concrete, static or quasi static action

Fastener size				M8	M10	M12	M16	M20	M24	M27
Installation factor		γinst	[-]				1,0	•	<u> </u>	
Steel failure witho	ut lever arm, Stee	l zinc p	olated							
Characteristic resis	tance	$V^0_{Rk,s}$	[kN]	12,2	20,1	30	55	69	114	169,4
Ductility factor		k ₇	[-]				1,0			
Partial factor		γMs	[-]		1,	25		1,33	1,25	1,25
Steel failure witho	ut lever arm, Stai	nless s	teel A4	, HCR						
Characteristic resis	tance	V^0 Rk,s	[kN]	13	20	30	55	86	123,6	
Ductility factor	Ductility factor k ₇								1,0	_1)
Partial factor	[-]		1,	25		1,4	1,25			
Steel failure with I	ever arm, Steel zi	ed								
Characteristic bend	ling resistance	M^0 Rk,s	[Nm]	23	47	82	216	363	898	1331,5
Partial factor		γMs	[-]		1,	25		1,33	1,25	1,25
Steel failure with I	ever arm, Stainles	ss stee	I A4, H	CR						
Characteristic bend	ling resistance	M^0 Rk,s	[Nm]	26	52	92	200	454	785,4	_1)
Partial factor		γMs	[-]	1,25 1,4					1,25	,
Concrete pry-out f	failure									
Pry-out factor		k ₈	[-]		2	,4			2,8	
Concrete edge fai	lure									
Effective length of	Steel zinc plated	If	[mm]	46	60	70	85	100	115	125
fastener in shear loading with h ef	Stainless steel A4, HCR	lf	[mm]	46	60	70	85	100	125	_1)
Effective length of	Steel zinc plated	$I_{f,red}$	[mm]	35 ²⁾	40	50	65			
fastener in shear loading with h ef,red Stainless steel A4, HCR		$I_{f,red}$	[mm]	35 ²⁾	40	40 50 6	65	_1)	_1)	_1)
Outside diameter o	f fastener	d_{nom}	[mm]	8	10	12	16	20	24	27

¹⁾ No performance assessed.

Performance

Characteristic values for **shear loads**, AN BZ plus, **cracked** and **uncracked concrete**, static or quasi static action

Annex C5

²⁾ Use restricted to anchoring of structural components statically indeterminate.



Table C6: Characteristic resistance for seismic loading, AN BZ plus, standard anchorage depth, performance category C1 and C2

Fastener s	ize			М8	M10	M12	M16	M20	
Tension lo	ads								
Installation	factor	γinst	[-]			1,0			
Steel failur	re, Steel zinc plated								
Characteris	stic resistance C1 N _F	Rk,s,eq,C1	[kN]	16	27	40	60	86	
Characteris	stic resistance C2 N _F	Rk,s,eq,C2	[kN]	16	27	40	60	86	
Partial facto	or	γMs	[-]	1,	53	1	,5	1,6	
Steel failur	re, Stainless steel A4,	HCR							
Characteris	stic resistance C1 N _F	Rk,s,eq,C1	[kN]	16	27	40	64	108	
Characteris	stic resistance C2 N _F	Rk,s,eq,C2	[kN]	16	27	40	64	108	
Partial facto	or	γMs	[-]		1	,5		1,68	
Pull-out (st	teel zinc plated, stainles	s steel .	A4 and	HCR)					
Characteris	stic resistance C1 N _F	Rk,p,eq,C1	[kN]	5	9	16	25	36	
Characteris	stic resistance C2 N _F	Rk,p,eq,C2	[kN]	2,3	3,6	10,2	13,8	24,4	
Shear load	ls								
Steel failur	re without lever arm, S	teel zin	c plate	ed					
Characteris	stic resistance C1 V	Rk,s,eq,C1	[kN]	9,3	20	27	44	69	
Characteris	stic resistance C2 V	Rk,s,eq,C2	[kN]	6,7	14	16,2	35,7	55,2	
Partial facto	or	γMs	[-]		1,	25		1,33	
Steel failur	re without lever arm, S	tainles	s stee	A4, HCR					
Characteris	stic resistance C1 V	Rk,s,eq,C1	[kN]	9,3	20	27	44	69	
Characteris	stic resistance C2 Vi	Rk,s,eq,C2	[kN]	6,7	14	16,2	35,7	55,2	
Partial facto	or	γMs	[-]	1,25 1					
Factor for annular	without filling of annular gap	αgap	[-]			0,5			
gap	with filling of annular gap	$lpha_{ extsf{gap}}$	[-]			1,0			

Performance

Characteristic resistance for **seismic loading**, AN BZ plus, **standard anchorage depth**, performance category **C1** and **C2**

Annex C6



Table C7: Characteristic values **for tension and shear load** under **fire exposure**, AN BZ plus, **standard anchorage depth**, cracked and uncracked concrete C20/25 to C50/60

Fastener size				M8	M10	M12	M16	M20	M24	M27																	
Tension load							•			•																	
Steel failure																											
Steel, zinc plat	ed																										
	R30			1,5	2,6	4,1	7,7	9,4	13,6	17,6																	
Characteristic	R60	NI	FLAI1	1,1	1,9	3,0	5,6	8,2	11,8	15,3																	
resistance	R90	$N_{Rk,s,fi}$	[kN]	0,8	1,4	2,4	4,4	6,9	10,0	13,0																	
	R120			0,7	1,2	2,2	4,0	6,3	9,1	11,8																	
Stainless steel	A4, HCR																										
	R30			3,8	6,9	12,7	23,7	33,5	48,2																		
Characteristic	R60	.	rknii	2,9	5,3	9,4	17,6	25,0	35,9	_1)																	
resistance	R90	$N_{Rk,s,fi}$	[kN]	2,0	3,6	6,1	11,5	16,4	23,6	_''																	
	R120			1,6	2,8	4,5	8,4	12,1	17,4																		
Shear load																											
Steel failure wi	thout lever a	rm																									
Steel, zinc plate	ed																										
	R30	- - V _{Rk,s,fi} -	. \/		1,6	2,6	4,1	7,7	11	16	20,6																
Characteristic	R60			FLAIT	1,5	2,5	3,6	6,8	11	15	19,8																
resistance	R90		[kN]	1,2	2,1	3,5	6,5	10	15	19,0																	
	R120			1,0	2,0	3,4	6,4	10	14	18,6																	
Stainless steel	A4, HCR																										
	R30																				3,8	6,9	12,7	23,7	33,5	48,2	
Characteristic	R60		FLAIT	2,9	5,3	9,4	17,6	25,0	35,9	_1)																	
resistance	R90	$V_{Rk,s,fi}$	[kN]	2,0	3,6	6,1	11,5	16,4	23,6	/																	
	R120			1,6	2,8	4,5	8,4	12,1	17,4																		
Steel failure wi	th lever arm																										
Steel, zinc plat	ed																										
	R30			1,7	3,3	6,4	16,3	29	50	75																	
Characteristic	R60	NAO	[NIm]	1,6	3,2	5,6	14	28	48	72																	
resistance	R90	M ⁰ Rk,s,fi	[Nm]	1,2	2,7	5,4	14	27	47	69																	
	R120			1,1	2,5	5,3	13	26	46	68																	
Stainless steel	A4, HCR																										
	R30			3,8	9,0	19,7	50,1	88,8	153,5																		
Characteristic	R60	NAO	[NI:3	2,9	6,8	14,6	37,2	66,1	114,3	1)																	
resistance	R90	- M ⁰ Rk,s,fi	[Nm]	2,1	4,7	9,5	24,2	43,4	75,1	_1)																	
	R120			1,6	3,6	7,0	17,8	32,1	55,5	1																	

¹⁾ No performance assessed

Performance

Characteristic values for tension and shear load under fire exposure, AN BZ plus, standard anchorage depth, cracked and uncracked concrete C20/25 to C50/60

Annex C7



Table C8: Characteristic values **for tension and shear load** under **fire exposure**, AN BZ plus, **reduced anchorage depth**, cracked and uncracked concrete C20/25 to C50/60

Fastener size				M8	M10	M12	M16
Tension load							
Steel failure							
Steel, zinc plated							
	R30			1,5	2,6	4,1	7,7
Characteristic	R60	- N _{Rk,s,fi}	[kN]	1,1	1,9	3,0	5,6
resistance	R90	INKK,S,TI	[KIN]	0,8	1,3	1,9	3,5
	R120			0,6	1,0	1,3	2,5
Stainless steel A4	, HCR						
	R30			3,2	6,9	12,7	23,7
Characteristic	R60	. N	[LNI]	2,5	5,3	9,4	17,6
resistance	R90	$N_{Rk,s,fi}$	[kN]	1,9	3,6	6,1	11,5
	R120			1,6	2,8	4,5	8,4
Shear load							
Steel failure witho	ut lever arm						
Steel, zinc plated							
	R30	-		1,5	2,6	4,1	7,7
Characteristic	R60		[LAI]	1,1	1,9	3,0	5,6
resistance	R90	$V_{Rk,s,fi}$	[kN]	0,8	1,3	1,9	3,5
	R120			0,6	1,0	1,3	2,5
Stainless steel A4	, HCR						
	R30			3,2	6,9	12,7	23,7
Characteristic	R60		[LAI]	2,5	5,3	9,4	17,6
resistance	R90	$V_{Rk,s,fi}$	[kN]	1,9	3,6	6,1	11,5
	R120			1,6	2,8	4,5	8,4
Steel failure with	lever arm						
Steel, zinc plated							
	R30			1,5	3,3	6,4	16,3
Characteristic	R60	. NAO.	[N] mail	1,2	2,5	4,7	11,9
resistance	R90	- M ⁰ _{Rk,s,fi}	[Nm]	0,8	1,7	3,0	7,5
	R120			0,6	1,2	2,1	5,3
Stainless steel A4	, HCR						
	R30			3,2	8,9	19,7	50,1
Characteristic	R60	. NAO-	[N] == 1	2,6	6,8	14,6	37,2
resistance	R90	- M ⁰ Rk,s,fi	[Nm]	2,0	4,7	9,5	24,2
	R120	•		1,6	3,6	7,0	17,8

Performance

Characteristic values for tension and shear load under fire exposure, AN BZ plus, reduced anchorage depth, cracked and uncracked concrete C20/25 to C50/60

Annex C8



Table C9: Displacements under tension load, AN BZ plus

Fastener size			M8	M10	M12	M16	M20	M24	M27
Standard anchorage depth									
Steel zinc plated									
Tension load in cracked concrete	Ν	[kN]	2,4	4,3	7,6	11,9	17,1	21,1	24
Displacement	δηο	[mm]	0,6	1,0	0,4	1,0	0,9	0,7	0,9
ырысетет	δ _{N∞}	[mm]	1,4	1,2	1,4	1,3	1,0	1,2	1,4
Tension load in uncracked concrete	Ν	[kN]	5,7	7,6	11,9	16,7	23,8	29,6	34
Displacement	δηο	[mm]	0,4	0,5	0,7	0,3	0,4	0,5	0,3
Displacement	δ _{N∞}	[mm]	0,	8	1,4		0,8		1,4
Displacements under seismic tension	loads C2								
Displacements for DLS	$\delta_{\text{N,eq,(DLS)}}$	[mm]	2,3	4,1	4,9	3,6	5,1	_1)	_1)
Displacements for ULS	$\delta_{\text{N,eq(ULS)}}$	[mm]	8,2	13,8	15,7	9,5	15,2	'/	/
Stainless steel A4, HCR									
Tension load in cracked concrete	N	[kN]	2,4	4,3	7,6	11,9	17,1	19,0	
Displacement	δηο	[mm]	0,7	1,8	0,4	0,7	0,9	0,5	_1)
	 δ _{N∞}	[mm]	1,2	1,4	1,4	1,4	1,0	1,8	
Tension load in uncracked concrete	N	[kN]	5,8	7,6	11,9	16,7	23,8	33,5	
	δηο	[mm]	0,6	0,5	0,7	0,2	0,4	0,5	_1)
Displacement	 δ _{N∞}	[mm]	1,2	1,0	1,4	0,4	0,8	1,1	
Displacements under seismic tension	loads C2								
Displacements for DLS	$\delta_{\text{N,eq(DLS)}}$	[mm]	2,3	4,1	4,9	3,6	5,1	1)	1)
Displacements for ULS	δ _{N,eq(ULS)}	[mm]	8,2	13,8	15,7	9,5	15,2	_1)	_1)
Reduced anchorage depth									
Steel zinc plated, stainless steel A4	, HCR								
Tension load in cracked concrete	N	[kN]	2,4	3,6	6,1	9,0			
	δηο	[mm]	0,8	0,7	0,5	1,0	_1)	_1)	_1)
Displacement	 δ _{N∞}	[mm]	1,2	1,0	0,8	1,1			
Tension load in uncracked concrete	N	[kN]	3,7	4,3	8,5	12,6			
	δηο	[mm]	0,1	0,2	0,2	0,2	_1)	_1)	_1)
Displacement	 δ _{N∞}	[mm]	0,7	0,7	0,7	0,7			

¹⁾ No performance assessed

SIKLA Wedge Anchor AN BZ plus	
Performance Displacements under tension load	Annex C9



Table C10: Displacements under shear load, AN BZ plus

Fastener size			M8	M10	M12	M16	M20	M24	M27
Standard anchorage dept	:h						•		
Steel zinc plated									
Shear load in cracked and uncracked concrete	V	[kN]	6,9	11,4	17,1	31,4	36,8	64,9	96,8
Diaplacement	δ_{V0}	[mm]	2,0	3,2	3,6	3,5	1,8	3,5	3,6
Displacement	δν∞	[mm]	3,0	4,7	5,5	5,3	2,7	5,3	5,4
Displacements under seisn	nic shear l	oads C2							
Displacements for DLS	$\delta_{\text{V,eq(DLS)}}$	[mm]	3,0	2,7	3,5	4,3	4,7	_1)	_1)
Displacements for ULS	$\delta_{\text{V,eq(ULS)}}$	[mm]	5,9	5,3	9,5	9,6	10,1	'' ''	
Stainless steel A4, HCR									
Shear load in cracked and uncracked concrete	V	[kN]	7,3	11,4	17,1	31,4	43,8	70,6	1)
Displacement	δνο	[mm]	1,9	2,4	4,0	4,3	2,9	2,8	
	δν∞	[mm]	2,9	3,6	5,9	6,4	4,3	4,2	
Displacements under seisn	nic shear l	oads C2							
Displacements for DLS	$\delta_{\text{V,eq(DLS)}}$	[mm]	3,0	2,7	3,5	4,3	4,7	_1)	_1)
Displacements for ULS	$\delta_{\text{V,eq(ULS)}}$	[mm]	5,9	5,3	9,5	9,6	10,1	= ' /	,
Reduced anchorage dept	h								
Steel zinc plated									
Shear load in cracked and uncracked concrete	V	[kN]	6,9	11,4	17,1	31,4			
Diaplacement	δνο	[mm]	2,0	3,2	3,6	3,5	_1)	_1)	_1)
Displacement	δν∞	[mm]	3,0	4,7	5,5	5,3			
Stainless steel A4, HCR									
Shear load in cracked and uncracked concrete	V	[kN]	7,3	11,4	17,1	31,4			
Displacement	δνο	[mm]	1,9	2,4	4,0	4,3	_1)	_1)	_1)
Displacement		[mm]	2,9	3,6	5,9	6,4			

¹⁾ No performance assessed

SIKLA Wedge Anchor AN BZ plus	
Performance Displacements under shear load	Annex C10



Table C11: Characteristic values for tension loads, AN BZ-IG, cracked concrete, static and quasi-static action

Fastener size			М6	M8	M10	M12
Installation factor	γinst	[-]	1,2			
Steel failure						
Characteristic resistance, steel zinc plated	N _{Rk,s}	[kN]	16,1	22,6	26,0	56,6
Partial factor	γMs	[-]		1	,5	
Characteristic resistance, stainless steel A4, HCR	N _{Rk,s}	[kN]	14,1	25,6	35,8	59,0
	γMs	[-]	1,87			
Pull-out failure						
Characteristic resistance in cracked concrete C20/25	N Rk,p	[kN]	5	9	12	20
Increasing factor for $N_{Rk,p} = \psi_c \cdot N_{Rk,p}$ (C20/25)	ψс	[-]	$\left(\frac{\mathrm{f_{ck}}}{20}\right)^{0.5}$			
Concrete cone failure						
Effective anchorage depth	h _{ef}	[mm]	45	58	65	80
Factor for cracked concrete	$\mathbf{k}_1 = \mathbf{k}_{cr,N}$	[-]		7	,7	

SIKLA Wedge Anchor AN BZ-IG

Performance

Characteristic values for tension loads, AN BZ-IG, cracked concrete, static and quasi-static action

Annex C11



Table C12: Characteristic values for tension loads, AN BZ-IG, uncracked concrete, static and quasi-static action

Fastener size			M6	M8	M10	M12
Installation factor	γinst	[-]		1	,2	
Steel failure						
Characteristic resistance, steel zinc plated	N _{Rk,s}	[kN]	16,1	22,6	26,0	56,6
Partial factor	γMs	[-]		1	,5	
Characteristic resistance, stainless steel A4, HCR	$N_{Rk,s}$	[kN]	14,1	25,6	35,8	59,0
Partial factor	γMs	[-]		1,	87	
Pull-out						
Characteristic resistance in uncracked concrete C20/25	$N_{Rk,p}$	[kN]	12	16	20	30
Splitting (the higher resistance of C	ase 1 and Cas	e 2 may	be applied)			
Minimum thickness of concrete member	h _{min}	[mm]	100	120	130	160
Case 1						
Characteristic resistance in uncracked concrete C20/25	$N^0_{Rk,sp}$	[kN]	9	12	16	25
Edge distance	C cr,sp	[mm]		1,5	h _{ef}	
Case 2						
Characteristic resistance in uncracked concrete C20/25	$N^0_{Rk,sp}$	[kN]	12	16	20	30
Edge distance	C _{cr,sp}	[mm]	2,5 h _{ef}			
Increasing factor for $\begin{split} N_{Rk,p} &= \psi_c \cdot N_{Rk,p} (C20/25) \\ N^0_{Rk,sp} &= \psi_c \cdot N^0_{Rk,sp} (C20/25) \end{split}$	ψc	[-]	$\left(\frac{f_{ck}}{20}\right)^{0.5}$			
Concrete cone failure						
Effective anchorage depth	h _{ef}	[mm]	45	58	65	80
Factor for uncracked concrete	$\mathbf{k}_1 = \mathbf{k}_{\text{ucr},N}$	[-]		1′	1,0	

SIKLA	Wedge A	Anchor A	AN BZ-IG
-------	---------	----------	----------

Performance

Characteristic values for **tension loads**, **AN BZ-IG**, **uncracked concrete**, static and quasi-static action

Annex C12



Table C13: Characteristic values for shear loads, AN BZ-IG, cracked and uncracked concrete, static and quasi-static action

Fastener size			M6	M8	M10	M12
Installation factor	nstallation factor γ _{inst} [-]			1	,0	
BZ-IG, steel zinc plated						
Steel failure without lever arm, pre-se	tting install	ation				
Characteristic resistance	$V^0_{Rk,s}$	[kN]	5,8	6,9	10,4	25,8
Steel failure without lever arm, throug	gh-setting ir	stallati	on			
Characteristic resistance	V^0 Rk,s	[kN]	5,1	7,6	10,8	24,3
Steel failure with lever arm, pre-setting	g installation	n				
Characteristic bending resistance	M^0 _{Rk,s}	[Nm]	12,2	30,0	59,8	104,6
Steel failure with lever arm, through-s	setting insta	llation				
Characteristic bending resistance	M ⁰ Rk,s	[Nm]	36,0	53,2	76,0	207
Partial factor for $V_{Rk,s}$ and $M^0_{Rk,s}$	γMs	[-]		1,	25	
Ductility factor	k ₇	[-]		1	,0	
BZ-IG, stainless steel A4, HCR						
Steel failure without lever arm, pre-se	etting install	ation				
Characteristic resistance	$V^0_{Rk,s}$	[kN]	5,7	9,2	10,6	23,6
Partial factor	γMs	[-]		1,	25	
Steel failure without lever arm, throug	gh-setting ir	stallati	on			
Characteristic resistance	V^0 Rk,s	[kN]	7,3	7,6	9,7	29,6
Partial factor	γMs	[-]		1,	25	
Steel failure with lever arm, pre-setting	g installatio	n				
Characteristic bending resistance	M^0 Rk,s	[Nm]	10,7	26,2	52,3	91,6
Partial factor	γMs	[-]		1,	56	
Steel failure with lever arm, through-s	setting insta	llation				
Characteristic bending resistance	$M^0_{\text{Rk,s}}$	[Nm]	28,2	44,3	69,9	191,2
Partial factor	γMs	[-]		1,	25	
Ductility factor	k 7	[-]	1,0			
Concrete pry-out failure						
Pry-out factor	k ₈	[-]	1,5	1,5	2,0	2,0
Concrete edge failure						
Effective length of fastener in shear loading	lf	[mm]	45	58	65	80
Effective diameter of fastener	d _{nom}	[mm]	8	10	12	16

SIKLA Wedge Anchor AN BZ-IG

Performance

Characteristic values for **shear loads**, **AN BZ-IG**, **cracked and uncracked concrete**, static and quasi-static action

Annex C13



Table C14: Characteristic values for **tension** and **shear load** under **fire exposure**, **AN BZ-IG**, cracked and uncracked concrete C20/25 to C50/60

Fastener size			М6	M8	M10	M12
Tension load						
Steel failure						
Steel zinc plated	d					
	R30		0,7	1,4	2,5	3,7
Characteristic	R60	[IcNI]	0,6	1,2	2,0	2,9
resistance	R90	Rk,s,fi [kN]	0,5	0,9	1,5	2,2
	R120		0,4	0,8	1,3	1,8
Stainless steel	A4, HCR					
	R30		2,9	5,4	8,7	12,6
Characteristic	R60	FLAIT	1,9	3,8	6,3	9,2
resistance	R90	Rk,s,fi [kN]	1,0	2,1	3,9	5,7
	R120		0,5	1,3	2,7	4,0
Shear load						
Steel failure wit	hout lever arm					
Steel zinc plated	d					
	R30		0,7	1,4	2,5	3,7
Characteristic	R60 V	Rk,s,fi [kN]	0,6	1,2	2,0	2,9
resistance R90	rk,s,īi [riv]	0,5	0,9	1,5	2,2	
	R120		0,4	0,8	1,3	1,8
Stainless steel	A4, HCR					
	R30		2,9	5,4	8,7	12,6
Characteristic	R60	Rk,s,fi [kN]	1,9	3,8	6,3	9,2
resistance	R90	KK,S,TI [KIN]	1,0	2,1	3,9	5,7
	R120		0,5	1,3	2,7	4,0
Steel failure wit	h lever arm					
Steel zinc plated	d					
	R30		0,5	1,4	3,3	5,7
Characteristic	R60) [N]	0,4	1,2	2,6	4,6
resistance	R90	O _{Rk,s,fi} [Nm]	0,4	0,9	2,0	3,4
	R120		0,3	0,8	1,6	2,8
Stainless steel /	A4, HCR					
	R30		2,2	5,5	11,2	19,6
Characteristic	R60)_,	1,5	3,9	8,1	14,3
resistance	R90	O _{Rk,s,fi} [Nm]	0,7	2,2	5,1	8,9
	R120		0,4	1,3	3,5	6,2

SIKLA Wedge Anchor AN BZ-IG

Performance

Characteristic values for **tension** and **shear loads** under **fire exposure**, **AN BZ-IG** cracked and uncracked concrete C20/25 to C50/60

Annex C14



Table C15: Displacements under tension load, AN BZ-IG

Fastener size			M6	M8	M10	M12
Tension load in cracked concrete	N	[kN]	2,0	3,6	4,8	8,0
Displacements	δηο	[mm]	0,6	0,6	0,8	1,0
	 δn∞	[mm]	0,8	0,8	1,2	1,4
Tension load in uncracked concrete	N	[kN]	4,8	6,4	8,0	12,0
Diamlacamenta	δηο	[mm]	0,4	0,5	0,7	0,8
Displacements	 δ _{N∞}	[mm]	0,8	0,8	1,2	1,4

Table C16: Displacements under shear load, AN BZ-IG

Fastener size			M6	M8	M10	M12
Shear load in cracked concrete	V	[kN]	4,2	5,3	6,2	16,9
Displacements	δ_{V0}	[mm]	2,8	2,9	2,5	3,6
	δν∞	[mm]	4,2	4,4	3,8	5,3

Performance
Displacements under tension load and under shear load AN BZ-IG

Annex C15